

# CNPM coupling panels


## Description:

OPTOKON fiber optic coupling panels **CNPM** are manufactured from aluminum sheet metal and accommodate most common fiber optic couplings and hybrid adapters.

OPTOKON offers a series of high density coupling panels that fit all OPTOKON's fiber management products. These coupling panels are available with a variety of standard coupling styles in 6 and 8 counts. Custom coupling panels can be designed to suit your needs.

## Features:

- All the most used adapters compatible
- High port density
- Single-mode and Multi-mode application
- **SC** footprint covers - LSH (E2000), SC, duplex LC types
- **FC** footprint covers - FC and **ST** types
- **SC duplex** covers - SC and **LC quad** types
- **E2000** duplex footprint covers available
- PG9 covers (1, 2, 4 holes)
- Other types on request



## Ordering Code:


Fiber Optic Panels	Number of Adapters	Fiber Capacity
<b>STANDARD</b>		
<b>CNPM - ST/FC - 06, 08</b>	6x, 8x ST and FC type	<b>6, 8</b>
<b>CNPM - E2/SC/DLC - 04, 06, 08</b>	4x, 6x, 8x LSH (E2000) or SC type or Duplex LC type (all is SC footprint)	E2, SC -> <b>4, 6, 8</b> DLC -> <b>12, 16</b>
<b>CNPM - DSC/QLC - 06</b>	6x duplex SC or Quadruplex LC type	DSC -> <b>12</b> / QLC -> <b>24</b>
<b>CNPM - DE2 - 06</b>	6x duplex LSH (E2000) compact	<b>12</b>
<b>CNPM - 00</b>	Blank panel	–
<b>CNPM - PG</b>	Panel for one PG9 gland	–
<b>CNPM - PG - 02</b>	Panel for two PG9 gland	–
<b>CNPM - PG - 04</b>	Panel for four PG9 gland	–
<b>CNPM - SNMT-1P</b>	Panel for 8x SENKO SN-MT-1port	<b>128</b>
<b>ON REQUEST</b>		
<b>CNPM - STP - 06</b>	6x RJ-45	<b>6</b>
<b>CNPM - MJ - 06</b>	6x MT-RJ type	<b>12</b>
<b>CNPM - DMU - 06</b>	6x duplex MU type	<b>12</b>
<b>CNPM - DSC/QLC - 03</b>	3x duplex SC or Quadruplex LC type	DSC -> <b>6</b> / QLC -> <b>12</b>
<b>CNPM - DLC - 06</b>	6x LC duplex (not SC footprint)	<b>12</b>

Notes: - All coupling panels are in silver color (**Stainless Steel Look**). The other color is available only on request with higher amount of pieces.

- Adapters fixation is by mounting clip or by screw fixation (see order code).

- Other adapters type – only on special request with higher MOQ.

## Technical specifications:

Dimensions	128 x 28.5 mm	
------------	---------------	--

## The Creating of CNPM Order Code with Adapters:

CNPM	-	X	/	Y(F) <sup>1</sup>	/	(note)
<b>Type of CNPM</b>				<b>Type of Adapters</b> (See appropriate datasheet)		<b>Note</b>
<i>Example of Code</i>				<i>Example of Code</i>		<i>Example of Note (Mounting screws)</i>
<b>DLC-06</b>		Panel 6x duplex LC type		<b>6x A-LC-D/PC-01-03 BL</b>		<b>screws</b>
<b>SC-08</b>		Panel 8x SC type		<b>8x A-SC/PC-02-01 BG-01</b>		<b>screws</b>
<b>E2-04</b>		Panel 4x LSH(E2000) type		<b>4x A-LSH/APC-01-GR-S21</b>		<b>screws</b>
<b>FC-08</b>		Panel 8x FC type		<b>8x A-FC/PC-01-240-12</b>		<b>screws</b>
<b>ST-06</b>		Panel 6x ST type		<b>6x A-ST/PC-02-03-02</b>		<b>screws</b>
<b>SNMT-1P</b>		Panel 8x SNMT-1P type		<b>8x A-SN-MT-1P</b>		<b>screws</b>

Note: 1) **F** - Fixed adaptors by screws

## Application:

OPTOKON Fiber Optic Cable management system

## Examples of OPTOKON products:



MCNP-3V-96-SC S-C-8



OFDU-TS2-4-48-FC S-ZM/G



PUDOS-1E-128+2-SNMT/SC A



PUDOS-1E-128+8-SNMT/SC A