

OPT-ER-2 IP41 Generic Rack

Description:

OPTOKON Generic Racks OPT-ER-2 are an exceptionally rugged and strong cabinet enabling it to be used for all application. OPTOKON Generic Rack OPT-ER-2 offers a highly cost-effective and assembly-friendly solutions for numerous applications in the field of fiber. The OPT-ER-2 is highly-configurable to the end-user's requirements and provides unique features to benefit system designers, installers and network managers. Completely assembled standard cabinet can be delivered as a single enclosure with side panels or as a side by side cabinet. The rigidly welded frame construction can be dismantled and assembles easily without any special tools.




Features:

- Secure side panels and front doors, with lockers, hinges or screws
- Openable, lockable, removable side panels and front doors
- Standard 19'' & ETSI Installations
- Bend radius protection throughout the frame fully front accessibility
- Maximum flexibility and modularity


Specifications:

OPTOKON CABLE MANAGEMENT 10 YEAR WARRANTY

The OPTOKON standard 10 year warranty is valid for all cable management components. This includes all racks, cabinets, shelves, connector panels. The warranty does not extend to any cables, connectors, adaptors, pigtails or any other component aforementioned into the cable management system as an accessory. Terms and conditions for the standard ten year warranty are available at WWW.OPTOKON.COM or by request from SALES@OPTOKON.COM



Dimensions:



Note:

The individual parts of the OPT-ER-2 frame are made so to be easy to assemble it.

Details of OPT-ER-2 rack:




Details internal modular construction of the rack OPT-ER-2:




Vertical and horizontal cable management (mounting rails):

GROUNDING SETS

Grounding wires, 4mm diameter Yellow/Green, for purpose of main grounding and potential equalization intend.								COMPATIBLE WITH	
								SAFEbox INDOOR IP55 Wall Mounting Cabinets	
Part Number and Product Description	Product Dimentions m	Pack Dimentions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimentions m	Box Gross Weight kg	600x450	600x600
OPT-DGR-TPR-1U10-LG 19" rack mount 1U Grounding Set, 10 grounding point, 4 pcs 4mm diameter x 40 cm long yellow/green wires, can be installed at any U height for all cabinet models, 4pcs set of M6 fixing elements.	482x35x44	500x45x50	0,4	0,45	1	500x45x50	0,45		

POWER STRIPES ALUMINIUM HOUSING

								COMPATIBLE WITH	
								SAFEbox INDOOR IP55 Wall Mounting Cabinets	
Part Number and Product Description	Product Dimentions mm	Pack Dimentions mm	Product Net Weight kg	Product Gross Weight kg	QTY in Box pcs	Box Dimentions mm	Box Gross Weight kg	600x450	600x600
OPT-PRZ-ONF-1U6P-UK 6xBS1363 UK Socket Power Stripe, 19" 1.5U, aluminium housing, 16A lighted on/off switched, 4000 Watt, 250V AC, 3x1.5mm ² , 2,5m cable, 13A BS1363 plug, CE approval	482x44x62	500x100x120	1,2	1,4	24	545x425x400	34		

SENSORED LIGHTING MODULE

LED lighting units for 19" 1U, turning function up/down, automatically operating once door is open, closing once door is closed or no movement detected in 60 seconds.



