

OFT-855D SMPTE Hybrid Cable Checker Set

Description:

Made exclusively for LEMO

The OFT-855D set consists of an SMPTE measuring unit and an SMPTE loopback. The hybrid cable checker is designed for testing optical power level in optical fibers and the continuity of copper pairs in hybrid cables. It combines an optical light source, optical detector, and copper wires checker.

It is ideal for testing large spaces of the LEMO SMPTE Hybrid System for Broadcast Infrastructure Networks. The ruggedized aluminium case makes the unit ideal for field operation. The Lithium rechargeable battery ensures long term working with minimum operating costs.



Features:

- Hybrid cables – fiber optic and Cu pairs checking
- LED quick signalization
- Automatic operation check of all fibers and wires
- Detects incorrect fiber and wire connection, disconnection and short circuit connection
- Built-in charger, battery status indicator

Specifications:

Optical Light Source:		Note:
Wavelength	1310 nm	typ. value
Output power	-6.0 dBm	typ. value

Optical Power Meter:		
Photodetector	1 mm InGaAs	
Working wavelengths	1300 nm	can be customized
Resolution	0.01	
Dynamic range	-40 dBm to +5 dBm	

Electrical wires checking:



is a registered trademark of OPTOKON, a.s. Other names and trademarks mentioned herein may be the trademarks of their respective owners. OPTOKON, a.s. reserves the right to make changes, without notice, to the products described in this document, in the interest of improving design, operational function and/or reliability.

- Electrical wires continuity
- Short circuit
- Isolation
- Electrical contacts - pins interconnection

Quick LED check:

Green OK normal operational status

Orange Warning: fiber out of limit, wires OK, copper wires problem, fiber OK

Red Failure: copper wires problem, IL of optical fiber is out limit

General specifications:

Dimensions	150 x 45 x 45 mm measuring unit 65 x 45 x 45 mm loop back	without connectors
Weight	250 g	with battery
Temperature operating Temperature storage Humidity (non condensing)	-10 to +50 °C -40 to +70 °C 0 to 95%	
IP rating	IP 54	
Battery working time	> 20 hrs	between battery charging

Application:

- Broadcast Infrastructure networks measurements
- SMPTE compatible HDTV system

Standard Accessories:

- Power charging adaptor
- Carrying case
- USB Cable

Ordering code:

OFT-855D - SM - XXXXX - 31

SM	Single mode	Source wavelength as below
-----------	-------------	--------------------------------------

3K93C	Connector type SMPTE compatible HDTV connection system 3K.93C series: FXW connector measuring unit EDW connector loop back
other	on request

light source code	Description ¹	application
31	1310 nm	SM testing

Note: 1) other wavelengths on demand

Part number:

OFT-855D-SM-3K93C-31 SMPTE Hybrid Cable Checker Set



Carrying case



OFT-855D SMPTE Cable Checker Set

SMPTE cabling check:

