

## MOTB-C01 Termination Box

### Description:

The termination box MOTB-C01 is designed for access of outdoor optical cable and drop cable with lockable protection from outdoor environment, specialty for FTTH, Telecommunication and CATV application.



### Features:

- Construction-lightweight plastic offers strength
- Resistance to chemical and U.V attack
- Wall mounting or pole mounting
- Available for SC and LC adapters
- Outdoor use - IP 54
- Bend radius protection
- Can hold 1:4 PLC Splitter
- Safety lock

### Specifications:

| Model           | Cable port   | Max. capacity of fiber splice | PLC splitter | Adaptors        | Protection class |
|-----------------|--|-------------------------------|--------------|-----------------|------------------|
| <b>MOTB-C01</b> | 2 cable ports ( for cables with max. diameter 12 mm) | 4 splices                     | 1:4 splitter | 4x SC<br>4x DLC | IP 54            |

### Physical parameters:

Weight: 0.55 kg

Dimensions: 207 × 152 × 51.7 (mm)

Environmental temperature: -40°C ÷ +65°C

### Standard accessories:



Screw



Plastic expansion screw




Buffering tube



Splice protector



Cable tie



Opened MOTB-C01 termination box



Closed MOTB-C01 termination box

### Ordering code:

**MOTB-C01**

- **XX**

- **XX X**

- **(AA)<sup>1</sup>**

#### # of Adaptors

Up to 4

#### Adaptors Type

|            |           |          |             |
|------------|-----------|----------|-------------|
| <b>SC</b>  | SC        | <b>M</b> | Multimode   |
| <b>DLC</b> | LC duplex | <b>S</b> | Single mode |
|            |           | <b>A</b> | APC         |
|            |           | <b>X</b> | No adaptors |

#### Optional

##### Accessories

**WM** Wall Mounting Kits

**PM** Pole Mounting Kits

### Note for optional accessories:

1) WM = As standard accessories

PM = Item on request (Pole Mounting Kits)